




Klaas

K23-33 City



Working range




► Hook height 33 m / Boom length 34.1 m

► max. Hook load 1,500 kg

► 23 m Working range with 250 kg


Working range diagram



Working range crane operation

Load	Range	Height
250 kg	23.00 m	19.00 m
350 kg	17.00 m	23.00 m
500 kg	14.00 m	21.50 m
800 kg	9.50 m	24.50 m
1,000 kg	8.50 m	20.50 m
1,500 kg	4.50 m	22.00 m

Platform operation



Working range HA 2/200

Load	Range	Height
100 kg	17.00 m	16.50 m
200 kg	15.00 m	19.00 m
Max. working height		25.00 m



Technical specifications

Load capacity	
Hook load	1,500 kg
Winch capacity	1,500 kg

Boom	
 Hook height	33.00 m
 Boom length	34.10 m
 Working height up to the boom	21.61 m
Swivel range	Continuous rotation


Fly jib	
Fly jib (1,500 kg)	4.98 m
Extension 1 (800 kg)	8.27 m
Extension 2 (500 kg)	10.40 m
Extension 3 (250 kg)	12.31 m

H-Outriggers	
 Outriggers (max.) L x W	4.80 x 5.05 m
 Outrigger width (min.)	2.85 m
 Outrigger width 1-sided support	3.95 m


Drive concepts	
D	Diesel engine
RH	Hybrid drive

Vehicle	
Vehicle height	2.59 m
Vehicle width	2.27 m
Vehicle length	9.24 m
Towing capacity	3.5 t


Fly jib



Outriggers




Vehicle




Subject to technical changes. All specifications are approximate and depending on truck type. Changes to the functions and services are reserved. The information reflects the device performance at the time of printing.

11/2025



K23-33 City

klaas.com



Facebook: [klaas.ascheberg](https://www.facebook.com/klaas.ascheberg)

Instagram: [klaas_alukranbau](https://www.instagram.com/klaas_alukranbau)

YouTube: [KlaasAscheberg](https://www.youtube.com/KlaasAscheberg)



Klaas Service- & Vertriebs GmbH

Haselburger Damm 25 • D-59387 Ascheberg

Phone 0049 25 93 - 95 92-0

E-mail: info@klaas.com

[klaas24.com](https://www.klaas24.com)